# **APPENDIX J**

Test Well Drilling Report June 3, 2017 County SUFFOLK

Well Number S-133851T

### COMPLETION REPORT-LONG ISLAND WELL

OWNER	STEVEN A. MARTO	CELLO				·LOG	
ADDRESS	24 MILLER WOODS DRIVE, MILLER PLACE 11764			Ground Su		-1	
LOCATION OF WELL				LL.	π.	above sea	
DEPTH OF WELL BELOW S	ORCHARD STREET	T					ft.
46 FI		DEPTH TO GROUND	WATER FROM SURFACE	3	Т	OP OF WEI	L.
7011		SINGS	12 FEET				1
DIAMETER		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
<b>4</b> in.	in.		In.	in.			
LENGTH		*					
42 ft.	ft.		ft. [	ft.			
SEALING PITLESS		CASINGS REMOVED					
	SCR	<u> </u> EENS	·				
MAKE		OPENINGS					
ALLOY		.01	2"				
DIAMETER		T	1				
4 In.	ln.		In.	In.			
LENGTH 4 ft.							
DEPTH TO TOP FROM TOP	OF CASING		ft.	ft.			
42 FE							
		NG TEST					
DATE		TEST OR PERMANEN	IT PUMP?				
DURATION OF TEST		MAXIMUM DISCHA	RGE				
days   STATIC LEVEL PRIOR TO TE	hours		gallons	per min.			
ft.	in. below top of casing	LEVEL DURING MAXI	i ir	. below	1		
MAXIMUM DRAWDOWN		te time of return to norm	al level after cessation of	casing			
	ft.	hours		min.			
	<del></del>	STALLED					
SUB	MAKE AERI	MOTOR	MODEL NUMBER A20SS75				
MOTIVE POWER	MAKE		H.P.				
ELECTRIC	FRANI	KLIN	3/4 HP				
CAPACITY 20	g.p.m. against		ft. of discharg	e head			
NUMBER OF BOWLS OR ST		ı	or anomaly				
	9		ft. of total	al head			
DROP LI	INE		CTION LINE				
DIAMETER	<b>1</b> in.	DIAMETER		in.	e H		
LENGTH	40 "	LENGTH					
METHOD OF DOLLARO	40 ft.			ft.			
METHOD OF DRILLING  rotary Cable tool	other AUGER	USE <i>OF</i> WATER	DOMESTIC				
WORK STARTED	0.4 %	COMPLETED	SAME		47		
9/30/2							
3/18/2016 DRILLER GREGOR WELL DRILLING INC.  REGISTRATION NO. 1457							
NOTE: Show log of well materials encountered, with depth below ground surface, water bearing beds and water							
levels in each, casings, screens, pump, additional pumping tests and other matters of interest. Describe repair job. See instructions as to Well Driller's Registration and Reports.							
-F 1-2, 200 WOU		3 and it and it epolls	•	1	1		

SKETCH OF LOCATION						
	850K 1200'	星从				
	shard st	720				
Locate well with respect to at least two streets or roads, showing distance from corner and front of lot.  Show North Point						
CHECK THE TOWN IN WHICH THE PROJECT IS LOCATED:						
Nassau County: ☐ Hempstead	☐ North Hempstead	☐ Oyster Bay				
Suffolk County:  Babylon Huntington Shelter Island	☐ Brookhaven ☐ Islip ☐ Smithtown	☐ East Hampton ☐ Riverhead ☐ Southampton				

GPS W 41.14104 W-72.29490° County SUFFOLK

Well Number S-133850T

## COMPLETION REPORT-LONG ISLAND WELL

OWNER	STEVEN A. MARTO	OCELLO			·LC	)G
ADDRESS	O. T. IAIVIIII				Ground Surface	
7,551,200	24 MILLER WOODS	DRIVE, MILLER F	PLACE 11764		EL.	ft. above sea
LOCATION OF WELL	ORCHARD STREET	Γ. ORIENT WELL #	2			ft.
DEPTH OF WELL BELOW	SURFACE					
	EET	DEPTH TO GROUND	WATER FROM SURFACE  11 FEET		TOP OF	WELL
	CA	SINGS	III bestes I			
DIAMETER	1					
4 in.	in.		In.	in.		
LENGTH	T					
42 ft.	I ft.		ft. ]	ft.		
SEALING PITLESS		CASINGS REMOVED				
		REENS				
MAKE	001	OPENINGS				
ALLOY		.01	2"	1		
DIAMETER	1	-A				
4 In.	ln.	I	In.	In.		
LENGTH 4	1	1				
ft.	ft.		ft.	ft.		
DEPTH TO TOP FROM TOP						
42 [	EET					
DATE	PUMPI	NG TEST OF REPUMPE				
		TEST OR PERMANEN	IT PUMP?			
DURATION OF TEST		MAXIMUM DISCHA	RGE			
days	hours		gallons	er min		
STATIC LEVEL PRIOR TO T	EST in. below	LEVEL DURING MAX	MUM PUMPING			
ft.	top of casing		l top of	. below casing		
MAXIMUM DRAWDOWN			al level after cessation of	pumping	-	
	ft.	hours   NSTALLED		min.		
TYPE	MAKE	15 I ALLED	MODEL MILLIANS			
SUB		MOTOR	MODEL NUMBER A20SS75			
MOTIVE POWER	MAKE		H.P.			
ELECTRIC	FRANI	KLIN	3/4 HP			
CAPACITY 20						
NUMBER OF BOWLS OR ST	g.p.m. against		ft. of discharg	e head		
TOMBER OF BOWLO OR ST	9					
DROP L		SII	ft. of tota	l head		
DIAMETER		DIAMETER	OTTON LINE			
	<b>1</b> in.			in.		
LENGTH		LENGTH				
	<b>40</b> ft.			ft.		
METHOD OF DRILLING  rotary Cable tool	d other AUGER	USE OF WATER	DOMESTIC			
WORK STARTED		COMPLETED				
9/30/2	015	*	SAME			
	ORILLER CRECOR ME	11 55011016	REGISTRATION	NO.		
3/18/2016		LL DRILLING INC	1701			
NOTE: Show log of well ma	aterials encountered, with de	pth below ground surface	e, water bearing beds and	water		
levels in each, casi	ngs, screens, pump, additior ructions as to Well Driller's F	nal numping tests and off	ar matters of interest De	scribe		
		J and hopoits.		1	1	1 1

#### SKETCH OF LOCATION

	4501	500' 0	
Sort	The first contract of the second	Approximation of the second	- Market 15 (1.5 % & W
Or		3 + 3	

Locate well with respect to at least two streets or roads, showing distance from corner and front of lot.

**Show North Point** 

#### CHECK THE TOWN IN WHICH THE PROJECT IS LOCATED:

Nassau County: Hempstead	☐ North Hempstead	Oyster Bay
Suffolk County:  Babylon Huntington Shelter Island Southold	☐ Brookhaven☐ Islip☐ Smithtown	☐ East Hampton☐ Riverhead☐ Southampton

GPS W 41. 13 968 W-72.29290